

Wedding Tent



1

Basic information:

Name	Romantic Outdoor Wedding Tent
Availability	Beach, lush woodland, prairie, backyard garden, castle lawn, snowfield and desert and beyond
Structure Frame Materials	Hard pressed extruded aluminum alloy T6061/T6
	Conventional size: 112x203x4mm, 166x88x3mm, 120x200x4mm, 120x250x4mm
Cover Materials	PVC Coated Polyester Fabric (available in a range of colors)
	Available Options: 650g/sq m Translucent White PVC for Sidewalls; 850g/sq m Block-out White PVC Tarpaulin for Roof; 950g/sq m Transparent PVC Fabric
Size	Customized
Shape	A framework, Pole, Dome, Multi-side, Curved, all

	about customization
Door & Windows	Glass & PVC curtain & Standard Zip-up
Fire Rating	DIN4102 B1/M2
Delivery Time	About 30 days after confirm deposit
Quality	ISO9001, MSDS, CE, BV, TUV, SGS
Origin	Shenzhen, China

2

Description

·Wedding Tent

Why Choose Wedding Tent?

a. Offering best comfort for outdoor wedding lovers

Outdoor transparent wedding tent is the best option to get close to nature without sacrificing comfort and elegance. Thanks to its specialized transparent sidewall design, outdoor wedding tent allows people enjoying the picturesque view while staying at a cozy tent.

b. Availability of most settings and venues

The outdoor wedding tent can be placed in different terrains, enabling guests to be freer to plan their big days on whatever the venues they want.

c. Very cost-effective

It takes a long time to wait for availability of top stars hotel, churches, castles and normally it will be quite a spending. Therefore, choosing outdoor tent for wedding is much less expensive and wedding tent is prefabricated, it is easy and quick to assembling on site, an ideal solution for saving both time and money.

d. Green Wedding: Save our planet in the name of romance

From design to assembling, wedding tent causes much less impacting on the environment compared with traditional buildings. With its specialized Eco structure, wedding tent is the much better choice to protect local environment and brings rewarding returns for investors.

3

Specification



Width(M)	Eave Height(M)	Ridge Height(M)	Day Distance(M)	Longest Parts(M)	Max. Windload
10	3.95	5.6	5	5.60	100km/h
11	3.95	5.75	5	6.00	100km/h
15	3.95	6.40	5	8.10	100km/h
16	3.95	6.55	5	8.60	100km/h
20	3.95	7.30	5	10.70	100km/h
21	3.95	7.35	5	11.20	100km/h
25	3.95	7.96	5	10.70	100km/h
30	4.00	8.95	5	10.70	100km/h

4

Accessories

Doors	Glass door, PVC curtain door, aluminum exit door, roller shutter door, clamshell door
Sidewall	ABS solid wall, glass wall, clear PVC window, sandwich panel
Fixing Methods	Drilling steel: stainless, use in glass land

	Weight plate: stainless, ideal to protect the ground surface
	Expandable bolts: stainless, use in concrete or other hard floors
Deck	Wood plastic composite
Liner	Stain & lycra (optional color)

Why Choose BDiR?

a. A Complete & Customized Service

We provide a turn-key tent solution from design, manufacturing, assembling and maintenance, and try our best to lower total cost of ownership, giving our customers peace of mind.

b. Quality Materials:

Framework: Hard pressed extruded aluminum alloy T6061/T6. Not pollution and not pungent odor, and Q235 Steel is incredibly lightweight, easy to transport and install.

Cover: PVC Coated Polyester Fabric treated to be waterproof, mildew resistant and fire retardant to meet European DIN4102 B1/SGS M2 specifications.

c. Quick and Easy to Pitch & Store & Transport

Thanks to high quality modular steel frame, our wedding tents can offer an exceptional variety of sizes, shapes and configuration options. From 3 to 35 meters clear span. Single or two-storey. Through this modular method of construction, all your wishes and requirements can be quickly and economically solved.

d. Unparalleled Workmanship

We are the leading manufacturers of All Types of Tensile Structures with more than 10 years experiences in China. In the past 10 years, we have ZERO fault and our team will do our utmost to meet our client's exact specifications to make sure the wedding goes off without a hitch.